CARVING PORCELAIN TILES



CARLO COLLECTION

AN ARTISAN'S SPARK

ESTONEBHARAT.COM

INSPIRED BY NATURE

The Carlo Collection finds its muse in the intricate beauty of sandstone mountains, where the passage of time has sculpted breathtaking landscapes. Inspired by the natural artistry of wind and water, each tile in this collection embodies the rugged elegance and timeless allure of these geological wonders.

The Carlo Collection draws inspiration from the mesmerizing beauty of sandstone mountains, where the forces of nature have sculpted breathtaking landscapes over centuries. Each tile in this collection captures the essence of these rugged terrains, with intricate patterns and earthy hues that evoke the timeless allure of natural stone.

As sunlight plays upon the textured surfaces of sandstone mountains, casting shadows and highlighting subtle variations in color and tone, the Carlo Collection seeks to recreate these dynamic elements in a timeless form.individuals to connect with the wonders of the natural world on a deeper level.

INSPIRATION





With the Carlo Collection, we offer more than just tiles – we offer a glimpse into the captivating beauty of sandstone mountains and the serene tranquility they inspire. Whether used to adorn walls, floors, or surfaces, these tiles serve as a reminder of the enduring power and majesty of nature, bringing a sense of harmony and elegance to any interior space.

60X VERSITILE SIZE

WITH DIGITAL + TECHNOLOGY



P R E C I S I O N M A K I N G

In the precision making of the Carlo Collection, every detail is meticulously crafted to emulate the intricate beauty of sandstone mountains. From the selection of materials to the final finishing touches, our artisans employ exacting standards and meticulous attention to detail to ensure that each tile reflects the rugged elegance and timeless allure of natural stone.



Precision Making is a craft that embodies the relentless pursuit of excellence and the meticulous attention to detail. Rooted in a blend of traditional craftsmanship and cutting-edge technology, it represents the epitome of precision in creation. Every aspect of Precision Making, from material selection to the final finishing touches, is executed with exactitude and care, ensuring flawless results.

PERFECT ASSORTMENT

In curating the assortment of the Carlo Collection, we embark on a meticulous process that reflects our commitment to quality and excellence. Each tile is carefully selected to harmonize with the rugged elegance and timeless allure of sandstone mountains, ensuring that every piece contributes to the overall aesthetic cohesion of the collection.



CHEMICAL RESISTANT

STAIN RESISTANT



FIRE PROOF



WHEATHER PROOF

EASY TO CLEAN

FUNCTIONALLY FLAWLESS AESTHETICALLY APPEALING 60X120CM-8.5MM





VVID+ METHOD

Drawing from the vivid palette of nature's hues and the intricate patterns of its landscapes, the VVID Method celebrates the art of creation inspired by the world around us.

From the delicate intricacies of a leaf's veins to the sweeping curves of a mountain range, each piece within our assortment is a testament to the awe-inspiring beauty of our planet.

With a commitment to sustainability and environmental stewardship, we honor nature's gifts by using responsibly sourced materials and eco-conscious practices in our craft.

MAKING

ASSORTMENT

5 FACES

ATHENA SILVER










Thickness 8.5mm






Ш О



Haze 1 Faces







Grigio 1 Faces

6 FACES

LASSICO GREY







Size 60x120cm

Thickness 8.5mm





Tan 5 Faces

Finish Carving

۵





Silver 5 Faces







Size 60x120cm

Thickness 8.5mm























Size 60x120cm

Thickness 8.5mm





S

OCEANIC BROWN



Grey 5 Faces







White 5 Faces

≻ Ш Υ U ш Υ Δ







5 Faces





Size 60x120cm

Thickness 8.5mm





Ш О

Ш.



Avorio 4 Faces

Finish Carving

ی کے ک





Claro 4 Faces

6 FACES

SICILIA CREMA







Size 60x120cm

Thickness 8.5mm





AMELIA NU'

4 FACE




















AMELIA GREY







Size 60x120cm

Thickness 8.5mm





CORSECA GRE

4 FACE

ORSECA GRIS

Finish Carving



























Size 60x120cm

Thickness 8.5mm








Grey 1 Faces








Beige

10SAICO TAUPE





Thickness 8.5mm







Beige 4 Faces

Size 60x120cm

Thickness 8.5mm

Finish Carving Endmatch

٤ ٤ ٤ .





Blue 4 Faces

3 FACES

BLANCO STATUARIO







Size 60x120cm Th

Thickness 8.5mm Finish Carving Endmatch






m RIAN MAR ш Ш

ш

S ш



Thickness 8.5mm Size 60x120cm

Finish Carving Endmatch





HORDIX NATURAL







Crema 4 Faces Light Grey ^{4 Faces}



Size 60x120cm

Thickness 8.5mm

Finish Carving Endmatch









Thickness 8.5mm





Technical Specification

CHARACTERISTIC		MEAN VALUE OF ESTONE PGVT	MEAN VALUE OF ESTONE GVT	METHOD OF TESTING			
REGULATORY PROPERTIES							
Deviation in length & width	± 0.5 %	± 0.1 %	± 0.1 %	ISO-10545-2			
Deviation in thickness	± 5.0 %	± 4.0 %	± 4.0 %	ISO-10545-2			
Straightness in side	± 0.5 %	± 0.1 %	± 0.1 %	ISO-10545-2			
Rectangularity	± 0.6 %	± 0.1 %	± 0.1 %	ISO-10545-2			
Surface flatness	± 0.5 %	± 0.2 %	± 0.2 %	ISO-10545-2			
Color difference	Unaltered	No change	No change	ISO-10545-16			
Glossiness	As per mfg.	Min. 90%	Min. 4%	GLOSSOMETER			
STRUCTURAL PROPERTIES							
Water absorption	< 0.50 %	< 0.20 %	< 0.20 %	ISO-10545-3			
Apparent density	> 2.0 g/cc	> 2.10 g/cc	> 2.10 g/cc	DIN 51082			
MASSIVE MECHANICAL PROPERTIES							
Modulus of rupture	Min. 35 N/mm 2	Min. 40 N/mm 2	Min. 40 N/mm 2	ISO-10545-4			
Breaking strength	Min. 1300 N	Min. 2000 N	Min. 2000 N	ISO-10545-4			
Impact resistance	As per mfg.	Min. 0.55	Min. 0.55	ISO-10545-5			
SURFACE MECHANICAL PROPERTIES							
Surface abrasion resistance	As per mfg	Min. Class-3	Min. Class-4	ISO-10545-7			
MOH's hardness	As per mfg	Min. 4	Min. 5	EN 101			
THERMO HYGROMETRIC PROPERTIES							
Frost resistance	No damage	No damage	No damage	ISO-10545-12			
Thermal shock resistance	No damage	No damage	No damage	ISO-10545-9			
Moisture expansion	Nil	Nil	Nil	ISO-10545-10			
Thermal expansion (COE)	Max. 9.0 x 10-6	Max. 6.5 x 10-6	Max. 6.5 x 10-6	ISO-10545-8			
CHEMICAL PROPERTIES							
Chemical resistance	No damage	No damage	No damage	ISO-10545-13			
Stain resistance	Resistant	Resistant	Resistant	ISO-10545-14			
SAFETY PROPERTIES							
Slip resistance	As per mfg	> 0.40	> 0.40	ISO-10545-17			
Fire resistance	As per mfg	Fireproof	Fireproof	N. A.			
Lead & Cadmium giv en off	As per mfg	Does not yield	Does not yield	ISO-10545-15			
by glazed tiles		Pb. & Cd.	Pb. & Cd.				

Packing Details

SIZE	NORMAL THICKNESS	NO. OF TILES/BOX	COVERAGE AREA/BOX		WT. OF BOX (APPROX)
60x120cm	8.5 mm	2 pcs	1.44 sq. mtr.	15.50 sq. ft.	27.800 kg

E S T O N E T H E A R T I S T I C S U R F A C E S



estone

FEEL FREE TO REACH US

1800 270 1418 INFO@ESTONEBHARAT.COM ESTONEBHARAT.COM SLANG MEDIA